

NATIONAL TECHNICAL ASSISTANCE CENTER

**Creating Violence Free and Coercion Free Service Environments
For the Reduction of Seclusion and Restraint**

**Overview of National Initiative to Promote
Recovery, Resiliency & Trauma Informed
Care**

References

Anthony, W. A. (2004, Fall) Overcoming obstacles to a recovery-oriented system: The necessity for state-level leadership. NASMHPD/NTAC e-Report on Recovery. Retrieved November 28, 2004 from <http://www.nasmhpd.org/publications> (<http://www.nasmhpd.org/publications>)

Bennington-Davis, M. and Murphy, T. (2005). *Restraint and Seclusion: The Model for Eliminating Their Use in Healthcare*. Marblehead, MA: HCPRO, Inc.

Child Welfare League of America. (2003). *National Quarterly Report Card: Best practices in behavioral support and intervention*. Retrieved from <http://www.cwla.org>. January 2, 2004.

Colton, D. (2004). *Checklist for assessing your organization's readiness for reducing seclusion and restraint*. Unpublished paper. Staunton, VA: Commonwealth Center for Children and Adolescents.

Cook, J. A., Jonikas, J. A., & Laris, A. (2002). *Increasing self-determination: Advance crisis planning with mental health consumer inpatient and other settings*. Chicago, IL: University of Illinois at Chicago Mental Health Services Research Program.

Duxbury, J. (2002). An evaluation of staff and patient views of and strategies employed to manage inpatient aggression and violence on one mental health unit: A pluralistic design. *Journal of Psychiatric Mental Health Nursing*, 9(3), 325-37.

Felitti, V. J., Anda, R. F. & Nordenberg, D. (1998). Relationship of Childhood abuse and household dysfunction to many of the leading causes of death in adults. The adverse childhood experiences (ACE) study. *American Journal of Prevention Medicine*, 14, 245-258.

Goetz, R. (2000). *Debriefing critical incidents: A basic model*. Microsoft PowerPoint presentation. Clackamas County Community Mental Health, Oregon.

- Hardenstine, B. (2001). *Leading the way toward a seclusion and restraint-free environment, Pennsylvania's success story*. Office of Mental Health and Substance Abuse Services, Pennsylvania Department of Public Welfare.
- Huckshorn, K.A. (2007). Building a Better Mental Health Workforce: 8 Core Elements. *The Journal of Psychosocial Nursing*. Vol. 45, No. 3.
- Huckshorn, K. A. (2007). *Reducing seclusion and restraint: Deep change required*. Module presentation for the National Executive Training Institutes. Alexandria, VA: NASMHPD
- Huckshorn, K.A. (2004). Reducing seclusion and restraint use in mental health settings: Core strategies for prevention. *Journal of Psychosocial and Mental Health Services*. 42 (9). Pp.22-33.
- Huckshorn, K. (2001). *The reduction of seclusion and restraint*. Unpublished papers. South Florida State Hospital, Pembroke Pines, FL.
- Institute of Medicine (IOM). (2001). *Crossing the quality chasm: A New Health System for the 21st Century*. Washington, DC: Institute of Medicine of the National Academies.
- Institute of Medicine (IOM). (2005). *Quality treatment for people with mental and substance-use disorders*. Rockville, MD: Institute of Medicine Academies Press
- Johnstone, L., & Cooke, D.J. (2007). Promoting risk intervention by situational management: Structured professional guidelines for assessing situational risk factors for violence in institutional settings. National Health Service. Glasgow Caledonian University. Glasgow, Scotland.
- Massachusetts Department of Mental Health (DMH). (2001). Unpublished seclusion- and restraint-related documents. Boston, MA: Massachusetts Department of Mental Health.
- Mueser, K. T., Goodman, L. B., Trumbetta, S. L., Rosenberg, S. D., Osher, F. C., Vidaver, R., Auciello, P., & Foy, D. W. (1998). Trauma and posttraumatic stress disorder in severe mental illness. *Journal of Consulting and Clinical Psychology*, 66, 493-499.
- National Association of Psychiatric Health Systems (NAPHS). (2003). *Learning from each other: Success stories and ideas for reducing restraint/seclusion in behavioral health*. Retrieved February 27, 2003 from <http://www.naphs.org/rscampaign/index.html>
- NASMHPD, 2005/National Executive Training Institute (NETI). (2005). *Training curriculum for reduction of seclusion and restraint. Draft curriculum manual*. Alexandria, VA: National Association of State Mental Health Program Directors (NASMHPD), National Technical Assistance Center for State Mental Health Planning (NTAC).

Ohio DMRDD (June, 2005). Up for the Challenge, Behavior Support Assistance Series. Retrieved on May 16, 2006 from http://odmrdd.state.oh.us/Includes/Press_Releases/UpChallJune2005.pdf

Onken, S., Dumont, J., Ridgway, P., Dornan, D., & Ralph, R. (2002). *Mental health recovery: What helps and what hinders? A national research project for the development of recovery facilitating system performance indicators*. Alexandria, VA: National Technical Assistance Center for State Mental Health Planning, National Association of State Mental Health Program Directors.

The President's New Freedom Commission on Mental Health. (2003). *Achieving the promise: Transforming mental health care in America. Final report*. DHHS Pub. No. SMA-03-3832. Rockville, MD: U.S. Department of Health and Human Services.

Richter, D., & Whittington, R. (2006). *Violence in mental health settings: Causes, consequences, management*. New York: Springer

Scholtes, P. R., Joiner, B. L., & Streibel. (1998). *The team handbook* (2nd Ed). Madison, WI: Oriel.

U.S. Department of Health and Human Services (US DHHS). (1999). *Mental health: A report of the Surgeon General*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, National Institutes of Health, National Institute of Mental Health.