

NATIONAL TECHNICAL ASSISTANCE CENTER

---

**Creating Violence Free and Coercion Free Service Environments  
For the Reduction of Seclusion and Restraint**

**Trauma Informed Care –  
An Overview of Fundamental Concepts  
(A Primary Prevention Tool)**

*References*

Arroyo, W. (2001). *PTSD in children and adolescents in the juvenile justice system*. S. Eth (Ed.) PTSD in Children and Adolescents, Review of Psychiatry Series, Volume 20, Number 1; Oldham JM and Riba, MB, series editors (59-86). Washington DC: American Psychiatric Publishing.

Beail, N. & Warden S. (1995), Sexual abuse of adults with learning disabilities, *Journal of Intellectual Disabilities*, Oct:39 (Pt 5): 382-7.

Blatt, B. (1970). *Exodus from Pandemonium*. Boston: Allyn and Bacon.

Bloom, S. (Summer/Fall 2002). Creating sanctuary. *Networks*, p. 1. Alexandria, VA: National Technical Assistance Center, National Association of State Mental Health Program Directors.

Briere, J. (1995). *The trauma symptom checklist for children manual*. Odessa, FL: Psychological Assessment Resources.

Center for Mental Health Services (CMHS) & Human Resource Association of the Northeast (HRANE). (1995, July). *Dare to vision, shaping the national agenda for abuse and mental health services*. Proceedings of a conference in Arlington, VA.

Chesney-Lind, Meda and Randall G. Shelden. (1997). *Girls, Delinquency and Juvenile Justice*. Pacific Grove, CA: Brooks/Cole

Cohen, J., Deblinger, E., Mannarino, A., & Steer, R. (2004, April). A multisite, randomized controlled trial for children with sexual abuse-related PTSD symptoms. *J. Am. Acad. Child Adolescent Psychiatry*, 43(4) 393-402.

Commonwealth of Massachusetts, Moving Massachusetts toward a Trauma-Informed, Integrated System of Care: A report of the Substance Abuse and Mental Health Subcommittee of the Survivor Services Committee of the Governor's Commission on Sexual and Domestic Violence of the Commonwealth of Massachusetts, March 13, 2006.

Cook, J. A., Jonikas, J. A., & Laris, A. (2002). *Increasing self-determination: Advance crisis planning with mental health consumer inpatient and other settings*. Chicago, IL: University of Illinois at Chicago Mental Health Services Research Program.

Cusack, K. J., Frueh, B. C., Bray, K.T. (2004). Trauma history screening in a community mental health center, *Psychiatric Services*, 155:157-162.

CSAT/SAMHSA, 2000, <http://www.csat.samhsa.gov/>

DOC, Juvenile Justice Recidivism Baseline Report for 1998.

Fallot, R., Harris, M. (2002). *Trauma informed services: A self-assessment and planning protocol 1-5*. Unpublished papers. Washington, DC: Community Connections.

Felitti, V. J., Anda, R. F. & Nordenberg, D. (1998). Relationship of Childhood abuse and household dysfunction to many of the leading causes of death in adults. The adverse childhood experiences (ACE) study. *American Journal of Prevention Medicine*, 14, 245-258.

Foa, E. et al. (2001). Child PTSD symptom scale (CPSS): Validation of a measure for children with PTSD. *Journal of Clinical Child Psychology*, 30:376-384.

Foa, E. et al. (1997). The validation of a self-report measure of posttraumatic stress disorder: The Posttraumatic diagnostic scale. *Psychological Assessment*, 9:445-451.

Ford, J., Chapman, J., Pearson, G., Hawke, J., & Albert, D. (2005, December). *From Reactivity to Regulation: Toward Trauma Informed Juvenile Justice Systems*. Presented at National Association of State Mental Health Program Directors (NASMHPD) Training, Tampa, FL.

Ford, J., Courtois, C., Steele, K., van der Hart, O., & Nijenhuis, E. (2004). *Treatment of the complex sequelae of psychological trauma*. Manuscript submitted for publication.

Garland A.F. et al, (2001). Prevalence of psychiatric disorders in youths across five sectors of care. *Journal of the American Academy of Child and Adolescent Psychiatry*, 40, 409-418

Giller, E. (1999). *What is psychological trauma?* Sidran Institute. Retrieved 2000, from <http://www.sidran.org/sub.cfm?contentID=88&sectionid=4>

Goodman, L. A., Dutton, M. A., & Harris, M. (1997). The relationship between violence dimensions and symptom severity among homeless mentally ill women. *Journal of Traumatic Stress*, 10:51-70.

Herman, J. (1992). *Trauma and recovery: The aftermath of violence – from domestic abuse to political terror*. New York, NY: Basic Books.

Hodas, G.R. (2004). *Understanding and responding to childhood trauma: Creating trauma informed care*. Unpublished paper. Pennsylvania Office of Mental Health and Substance Abuse Services.

Jennings, A. F. (2004). *The Damaging Consequences of Violence and Trauma: Facts, Discussion points, and Recommendations for the Behavioral Health System*. Alexandria, VA. National Association of State Mental Health Program Directors (NASMHPD)/National Technical Assistance Center (NTAC).

Jennings, A. & Ralph, R.O. (1997). *In their words, trauma advisory groups report*. Augusta, ME: Maine Department of Mental Health and Mental Retardation and Substance Abuse Services.

Kessler, R. C., Sonnega, A., Bromet, E., et al. (1995). Posttraumatic Stress Disorder in the national co-morbidity survey. *Archives of General Psychiatry*, 52:1048-1060.

Lipschitz, DS, Winegar, RK, Hatnick, E, Foote, B, Southwick, SM. (1999). Posttraumatic Disorder in Hospitalized Adolescents: Psychiatric Comorbidity and Clinical Correlates. *Journal of the American Academy of Child & Adolescent Psychiatry*. 38(4):385-392.

Maine Department of Behavioral and Developmental Services (Maine BDS). (2000). Unpublished seclusion- and restraint-related documents. Augusta, ME: Maine BDS.

Mann, L. S., Wise, T. N., & Shay, L. (1993). A prospective study of psychiatry patients' attitudes toward the seclusion room experience. *General Hospital Psychiatry*, 15, 177-182

Martinez, R. J., Grimm, M., & Adamson, M. (1999). From the other side of the door: Patient views of seclusion. *Journal of Psychosocial Nursing*, 37(3), 13-22.

Mental Health Association in New York State (MHANY), & New York State Office of Mental Health (NYOMH). (1995). *Proceedings from the forum on individuals diagnosed with serious mental illness who are sexual abuse survivors*. Albany, NY: New York State Office of Mental Health.

Mohr, W.K., Mahon, M. M., & Noone, M. J. (1998). A restraint on restraints: the need to reconsider the use of restrictive interventions. *Archives of Psychiatric Nursing*. 12:95-106.

Mueser, K. T., Salyers, M. P., Rosenberg, S. D., Goodman, L. A., Essock, S. M., Osher, F. C., Swartz, M. S., & Butterfield, M. (2004). Interpersonal trauma and posttraumatic stress disorder in patients with severe mental illness: Demographic, clinical, and health correlates. *Schizophrenia Bulletin*.

Mueser, K., Rosenberg, S., Goodman, L., & Trumbetta, S. (2002). Trauma, PTSD, and the course of schizophrenia: An interactive model. *Schizophrenia Research*, 53, 123-143.

Mueser, K. T., Goodman, L. B., Trumbetta, S. L., Rosenberg, S. D., Osher, F. C., Vidaver, R., Auciello, P., & Foy, D. W. (1998). Trauma and posttraumatic stress disorder in severe mental illness. *Journal of Consulting and Clinical Psychology*, 66, 493-499.

Najavits, L. (2003, January 17). *Seeking safety*. Retrieved from [www.seekingsafety.org/3-02%20arts/training%20in%20SS-s.pdf](http://www.seekingsafety.org/3-02%20arts/training%20in%20SS-s.pdf)

National Association of State Mental Health Program Directors (NASMHPD). (1998). *Executive summary: Responding to the behavioral healthcare issues of persons with histories of physical and sexual abuse*. Alexandria, VA: National Association of State Mental Health Program Directors.

NASMHPD/NTAC. (2004/Fall). E-Report on recovery. *Networks*. Retrieved from the Internet on November 12, 2004 @ [http://www.nasmhpd.org/spec\\_e-report\\_fall04intro.cfm](http://www.nasmhpd.org/spec_e-report_fall04intro.cfm)

The President's New Freedom Commission on Mental Health, (2003). *Achieving the Promise: Transforming Mental Health Care in America. Executive Summary*. DHHS Pub. No. SMA-03-3831. Rockville, MD.

Ray, N. K., Myers, K. J., & Rappaport, M. E. (1996). Patient perspectives on restraint and seclusion experiences: A survey of former patients of New York State psychiatric facilities. *Psychiatric Rehabilitation Journal*, 20, 11-18.

Ryan, R. (2000). Health Promoting Medication Use, Circle of Health, Clinical Services to Persons with Developmental Disabilities, Retrieved on May 21, 2006 from <http://cspdd.org/h-healthpr.php>

Saigh P.A., Yasik et al. (1999). *Child-adolescent posttraumatic stress disorder: prevalence, risk factors and comorbidity*. In Saigh, Bremner (Eds.), *Posttraumatic Stress Disorder: A Comprehensive Text* (pp18-43). Boston:Allyn and Bacon

Saltzman et al. (2001). Trauma and grief focused intervention for adolescents exposed to community violence: results of a school-based screening and group treatment protocol. *Group Dynamics: Theory, Research, and Practice*, 5, (4), 291-303.

Saxe, Ellis, Kaplow, Grant, Tames. (2004) *Boston University Medical Center*

Saxe, G., Read, J., Agar, K., Argyle, N., & Aderhold, V. (2003). Sexual and physical abuse during childhood and adulthood as predictors of hallucinations, delusions and thought disorder. *Psychology and Psychotherapy*, Mar, 76, (Pt 1):1-22.

Schwab-Stone, ME et al. (1995). No Safe Haven: A study of violence exposure in an urban community. *Journal of the American Academy of Child and Adolescent Psychiatry*, 34(10), 1343-1352.

Sobsey, D. & Doe, T. (1991). Patterns of sexual abuse and assault. *Sexuality and Disability*, 9 (3): 243-259.

Sobsey, D. (1994). *Violence and Abuse in the Lives of People with Disabilities*. Baltimore: Paul H. Brooks.

Teplin, L.A. et al, (2002). Psychiatric disorders in youth in juvenile detention. *Archives of General Psychiatry*, 59, 1133-1143.

Terr, L. C. (1991). Childhood traumas: an outline and overview. *Am J Psychiatry*. Jan;148(1):10-20. Review.

Triffleman, E.G., Marmar, C.R., Elucchi, K.L., Ronfeldt, H. (1995). *Journal of Nervous and Mental disorders*, March;183(3):172-6

U.S. Department of Health and Human Services (USDHHS). (1999). *Mental health of the nation: Report of the Surgeon General (SMA01-3613)*. Office of the Surgeon General, Public Health Service. Washington, DC: U.S. Government Printing Office.

Wadson, H., & Carpenter, W. (1976). Impact of the seclusion room experience. *Journal of Nervous and Mental Disease*, 163, 318-328.

White, C., Holland, E., Marsland, D. & Oakes P. (2003). The identification of environments and cultures that promote the abuse of people with intellectual disabilities: a review of the literature. *Journal of Applied Research in Intellectual Disabilities* 16 1-9.

Widom, C.S. (1995). Victims of childhood sexual abuse – Later criminal consequences. National Institute of Justice: Research in Brief. Washington DC:US Department of Justice, Office of Justice Programs

Zlotnick,C. (1997). Posttraumatic stress disorder, PTSD comorbidity and childhood abuse among incarcerated women. *Journal of Nervous and Mental Disease*, 12, 761-763.

Zlotnick, C., Najavits, L.M., Rohsenow, D.J. (2003). A cognitive-behavioral treatment for incarcerated women with substance abuse disorder and posttraumatic stress disorder: findings from a pilot study. *Journal of Substance Abuse Treatment*, 25, 99-10  
National Trauma Consortium, 2004.